

```

1 <?xml version="1.0" encoding="UTF-8"?>
2 <html xmlns="http://www.w3.org/1999/xhtml" xmlns:ew="http://www.w3.org/2002/ewml-events" x="http://www.w3.org/2002/xforins">
3   <head meta_vertical_guides="H n" eta_horizontal_guides="479">
4     <w2:type>DEFAULT</w2:type>
5     <w2:buildDate />
6     <xf:model>
7       <xf:instance>
8         <data xmlns="**" />
9       </xf:instance>
10      <w2:dataCollection baseNode="map">
11        <w2:dataList baseNode="list" id="dlMenuList" repeatNode="map" saveRenderedData="true">
12          <w2:columnInfo>
13            <w2:column dataType="text" id="athrtId" name="권한ID"></w2:column>
14            <w2:column dataType="text" id="athrtNm" name="권한명"></w2:column>
15            <w2:column dataType="text" id="basicAthrtYn" name="기본권한여부"></w2:column>
16            <w2:column dataType="text" id="menuId" name="메뉴ID"></w2:column>
17            <w2:column dataType="text" id="menuNni" name="메뉴명"></w2:column>
18            <w2:column dataType="text" id="hgrnkMenuId" name="상위메뉴ID"></w2:column>
19            <w2:column dataType="text" id="menuLv" name="메뉴레벨"></w2:column>
20            <w2:column dataType="text" id="menuSeq" name="메뉴순번"></w2:column>
21            <w2:column dataType="text" id="menuIdTree" name="메뉴ID경로"></w2:column>
22            <w2:column dataType="text" id="menuTree" name="메뉴명경로"></w2:column>
23            <w2:column dataType="text" id="menuType" name="메뉴유형코드"></w2:column>
24            <w2:column dataType="text" id="nenuUrl" name="메뉴URL"></w2:column>
25            <w2:column dataType="text" id="inqryUrl" name="조회URL"></w2:column>
26            <w2:column dataType="text" id="saveUrl" name="URL"></w2:column>
27            <w2:column dataType="text" id="excllUrl" name="URL"></w2:column>
28            <w2:column dataType="text" id="gnrcpUrl" name="SJS.URL"></w2:column>
29            <w2:column dataType="text" id="vrabl1Url" name="추가 1URL"></w2:column>
30            <w2:column dataType="text" id="vrabl2Url" name="추가 2URL"></w2:column>
31            <w2:column dataType="text" id="vrabl3Url" name="추가 3URL"></w2:column>
32            <w2:column dataType="text" id="vrabl4Url" name="추가 4URL"></w2:column>
33            <w2:column dataType="text" id="vrabl5Url" name="추가 5URL"></w2:column>
34            <w2:column dataType="text" id="vrabl6Url" name="추가 6URL"></w2:column>
35            <w2:column dataType="text" id="jdgTodoYn" name="청사여부"></w2:column>
36          </w2:columnInfo>
37        </w2:dataList>
38        <w2:dataMap baseNode="fnap" id="dmParam" style="M">
39          <w2:keyInfo>
40            <w2:key Ws="chText" name="검색어" dataType="text"></w2:key>
41          </w2:keyInfo>
42        </w2:dataMap>
43      </w2:dataCollection>
44      <w2:workflowCollection>
45      </w2:workflowCollection>
46    </xf:model>
47    <script type="text/javascript" lazy="false"><![CDATA[
48      // .....
49      // 초기화
50      // .....
51      scwin.onpageload = function()
52      {
53        <
54          //$('#left_enu').children().empty();
55          scwin.genLeftAuthorlayer();
56
57          spaUserName.setValue(com.session.userdetails().username);
58          spaOffmTelno.setValue(com.session.userdetails().ofmTelno);
59          spaOffmTelno1.setValue(com.session.userdetails().offmTelno1);
60          spaMbtlnum.setValue(com.session.userdetails().mbtlnum);
61          spaEmailAdres.setValue(com.session.userdetails().emailAdres);
62        }
63
64        scwin.onpageunload = function() {
65
66        } ;
67
68      // .....

```

```

69 // Event 함수
70 // .....
71 // 로그인아웃 클릭
72 scwin.btnLogout_onclick = function()
73 <
74     //sessionstorage.clear();
75
76     //van__csrf__header - $('i«eta[name**..csrOeader' ]^M). attr(' content1');
77     //var __csrf = $("meta[name-'__csrf']*").attr(* content1');
78     $.ajax(
79     {
80         url : •/sec/logout.do',
81         type : 'post ',
82         beforeSend : function(request)
83         {
84             //request.setRequestHeader(' ^csrf^header, • csrf);      '+_
85         },
86         async : false,
87         data : *,
88         success: function(data, textStatus, xhr)
89         {
90
91         },
92         error: function (xhr*, textStatus, errorThrown)
93         (
94             alert(9SON.parse(xhr.responseText)['error']);
95         )
96     });
97     location.reload();
98 };
99
100 scwin.triggerl_onclick = function(e) {
101
102     /*scwin.selectAllMenuTreeByAuth(.hgrnkMerwld:공, function(data)
103     {
104         sessionStorage.setItem(•enuList, 3SON.stringify(data.menuList));
105         alert(•새로고침 완료*);
106     });
107     var data ■ { type : "confirm", msg : *aaa\ callbackFn : "scwin.fn^confirmCallback", url:*/ui,
108     var options ■ {
109         id : ^kdh\
110         title : "Corrfir__Pop"
111     };
112     //com.popup.open("/tempPopup.xml", options, data, *test12345');
113
114     let param - [{^M^v^l^:^l,^RisLeaf:0j"menuN(n":^3^ee|^M/^menuId^:4899,^MhgrnkMenuId^M:4898/^menuLv|^M
115     con. mdi.openMenu(parafrn);//ui/sys/aut/athrtstdmgt/AthrtMgtM.xml
116 };
117
118 //.....
119 // Transaction 함수
120 // .....
121 scwin.setAuthorCode = function(athrtId, callback)
122 (
123     $('ttulO a')♦removeClass('menuSelected♦);
124     $('#a0' ♦ athrtId).addClass(*menuSelected');
125
126     $.ajax(
127     {
128         url : '/userinfo/setuserinfo.do',
129         type : •post',
130         data : *athrtId-♦ athrtId,
131         async : true,
132         success: functiontdata, textStatus, xhr)
133         {
134             gcn['userdetails'] ■ data.userDetails;
135             callback(data);
136         },

```

```

13-         error: function(xhr, textStatus, errorThrown)
138         {
139             console.log(xhr.responseText);
140         }
141     });
142 };
143
144 scwin.selectAllMenuTreeByAuth = function(param, callback)
145 {
146     WebSquare.layer.showProcessMessage("^2|g");
147     $.ajax(
148     <
149         url : '/userinfo/selectAllMenuTreeByAuth.do*',
150         type : 'post',
151         data : para , ,
152         //data : param + '&cache=true\
153         async : true,
154         success: function(data, textStatus, xhr)
155         (
156             callback(data);
157             WebSquare.layer.hideProcessMessage();
158         h
159         error: function(xhr, textStatus, errorThrown)
160         (
161             WebSquare.layer.hideProcessMessage();
162             console.log(xhr.responseText);
163         )
164     });
165 };
166
167 scwin.selectMenuTreeByAuth = function(param, callback)
168 {
169     WebSquare.layer.showProcessMessage("21g");
170     $.ajax(
171     {
172         url : '/userinfo/selectMenuTreeByAuth.do*',
173         type : 'post',
174         data : param,
175         //data : param + '&cache=true*',
176         async : true,
177         success: function(data, textStatus, xhr)
178         {
179             callback(data);
180             WebSquare.layer.hideProcessMessage();
181         },
182         error: function(xhr, textStatus, errorThrown)
183         <
184             WebSquare.layer.hideProcessMessage();
185             console.log(xhr.responseText);
186         }
187     });
188 };
189
190 //.....
191 // Callback 함수
192 // .....
193
194
195 //.....
196 // 사용자 정의 함수
197 ".....
198 scwin.genLeftAuthorLayer = function()
199 (
200     the $.each(com.session.userdetails().athrtListfunction(idx, row)
201     {
202         var li - $('<li/>', {id:'110' + row.athrtId, class:'w2group. });
203         var ull - $('<ul/>\ {id:'uir' + row.athrtId, 'class':leK_2dep.});
204         var a $('<a/> \ {id: ae' + row.athrtId, href: #, Class: *w2anchor2

```

```

285     ♦ (row.athrtId == com.session.userdetails().athrtId ? • menuSelected* :
206     {
207         if($(*#li0* + row.athrtId).hasClass(* active'))
2d3         {
289             $('#left menu div .left ldep > .active').removeClass('active');
210         }
211         else
212         (
213             $('#left menu div »left ldep > .active*).removeClass('active*');
214             SctlIG* + row. athrt Id), addClass(* active *);
215
216             scwin.setAuthorCode(row.athrtId, function()
217             {
218                 scwin.genLeftMenuLayer(*ull' ♦ row.athrtId, *0', 1);
219             });
220         }
221     });
222     li.append(a);
223     $(li).append(ull);
224     $('#ul0').append(li);
225 });
226 □ ;
227
228 scwin.genLeftHenuLayer = function(el, hgrnkMenuId, lvi)
229 {
230     if(sessionStorage.getItem('menuList') != null)
231     {
232         com.session.check();
233
234         $(*#* ♦ el).empty();
235         let menuList = JSON.parse(sessionStorage.getItem(*menuList'));
236         if(«enuList.filter(function(obj){ return (obj.hgrnkMenuId ■« hgrnkMenuId && obj.athrtId
237         {
238             $.each(menuList.filter(function(obj){ return (obj.hgrnkMenuId == hgrnkMenuId && obj.-
239             <
240                 // IDepth Uioy Li Paste
241                 var l1 = $('#<li/> \ {id:*li' ♦ lvi ♦ row.athrtId ♦ row.menuId, 'class': 'w2group'}
242
243                 $('## ♦ el).append(li);
244
245                 // IDepth Li에 2Depth UI 생성
246                 var ull = $('<ul/> \ {id:*ul* + (lvi + 1) ♦ row.athrtId ♦ row.menuId, 'class': 'le*
247
248                 // IDepth 메뉴가 «릭되었을 때 Event 처리
249                 var a = $('<a/> \ {id: 'a' + lvi + row.athrtId ♦ row.menuId, href: , 'class* : *w2. '#
250                 {
251                     // css 먼저 처리하고,
252                     if($(*#l1* + lvi ♦ row.athrtId + row.menuId).hasClass('active'))
253                     {
254                         $('#left _ _ _ _ _ menu div .left • ♦ (lvi ♦ 1) ♦ *dep > .active')<removeClass('act
255                     }
256                     else
257                     {
258                         {(*irlef^menu^div .left.* + (lvi ♦ 1) ♦ *dep > .active') .re<noveClass(* act:
259                         $('#li* + lvi ♦ row.athrtId + row.menuId).addClass('active*');
260                     }
261
262                     // 열거 있으면 8고
263                     If(row.url != null)
264                     (
265                         if(row.menuTypeCd == 20)
266                         {
267                             var data = {};
268                             var option = { id:row.menuId, title:row.menuNm, popupName:row.menuNm,
269                             com.popup.open(row.url| option, data);
270                         }
271                     else
272                     {

```

```

273 if($p.top().wdcMain.getFrame(row.menuld) != null && $p.top().wdcMain.f
274 (
275     if (confirm(「권한이 변경되어 다시 열어야 합니다, 진행하시겠습니까?」가
276         <
277             $p.top().com.closeMenu(row.menuld);
278             let rowinfo = DJSON.parse(sessionstorage.getItem('menuList')).
279             setTimeout(function() { $p.top().com.mdi.openMenu(rowinfo); }
280         )
281     )
282     else
283     {
284         $('#left_n>enu_div .left' > (lvl > 1) > *dep > .active').removed.
285         $('#li' > lvl + row.athrtld + row.menuld).addClass('active');
286         $('#left_i>enu_div .left' > (lvl > 1) > *dep > .isLeaf *).removed.
287         $('#li' > lvl + row.athrtld + row.menuld).addClass(* isLeaf*);
288         let rowinfo = DJSON.parse(sessionstorage.getItem('menuList')).f
289         $p.top().coa.mdi.openMenu(rowinfo);
290     }
291 }
292 }
293
294 // 마지막이 아니면 더 펼친다.
295 if(row.isLeaf != *1*)
296 {
297     scwin.genLeftMenuLayer('ul' > (lvl + 1) > row.athrtld > row.menuld, row.m
298 }
299 });
300 li.append(a);
301 li.append~11);
302
303
304 else
305 (
306     scwin.selectMenuTreeByAuth('hgrnkMenuld= ' + KgrnkMenuld > '&lvl=' > lvl, function(dat
307     {
308         // $.extend(true, menuList, data.menuList);
309         $.each(data.menuList.filter(function(obj){ return (obj.hgrnkMenuld == hgrnkMenuld
310         {
311             menuList.push(row);
312         });
313         sessionStorage.setItem('menuList', DJSON.stringify(menuList));
314
315         // IDepth UI에 IDepth Menu 목록 Loop 들며 Li Paste
316         $.each(data.menuList.filter(function(obj){ return (obj.hgrnkMenuld == hgrnkMenuld
317         (
318             // IDepth UI에 Li Paste
319             var li = $('<li>', {id:'li' > lvl + row.athrtld + row.menuld, 'class':'w2gr
320             $('#> + el).append(li);
321
322             // IDepth Li에 2Depth UI 생성
323             var ull = $('<ul>', {id:'ul' > (lvl > 1) > row.athrtld + row.menuld, 'class'
324
325             // IDepth 메뉴가 클릭되었을 때! Event 처리
326             var a = $('<a>', (id: 'a' + lvl > row.athrtld > row.menuld, href: , 'class'
327             <
328             // css 먼저 처리하고,
329             if($('#li' > lvl > row.athrtld > row.menuld).hasClass(* active*))
330             {
331                 $('#left_menu_div .left' > (lvl > 1) > .dep > .active *).removeClass(
332             }
333             else
334             {
335                 $('#left_menu_div .left' > (lvl > 1) > .dep > .active *).removeClass(
336                 $('#li' > lvl + row.athrtld + row.menuld).addClass(* active*);
337             }
338
339             // 열거 있으면 열고
340             if(row.url != null)

```

```
341 {
342     if(row.menuTypeCd === 20)
343     {
344         var data = {};
345         var option = { id:row.menuld, title:row.menuNm, popup^ame:row.mem
346             coin.popup.open(row.ur 1, option, data);
347     }
348     else
349     {
350         if($p.top().wdcMain.getFrame(row.nienuld) != null && $p.top().wdcH.
351             <
352             if (confirm(«권한이 변경되어 다시 열어야 합니다. 진행하시겠습니까?»)
353             {
354                 $p.top().com.closeMenu(row.menuld);
355                 let rowinfo : 3SON.parse(sessionstorage.getItem('menuList
356                 setTimieout(function() { $p.top(). co«.mdi.openMenu(rowinfo
357             }
```



```

477         <w2:anchor ev:onclick=-s [win.btnInsaUser_onclick" id="btnInsaI
478         <xf:label><![CDATA [인사] ] ></xf:label>
479         </w2:anchor>
480     </xf:group>
481 </xf:group>
482 </xf:group>
483 </xf:group>
484 <xf:group style="M id=- class=Muser_txt">
485     <xf:group tagname=Mul" style=" id=HM">
486         <xf:group tagname=Mli" style=" id="">
487             <xf:group tagname="h3" style=" id="" class="">
488                 <w2:span style=M" label=*** id="spaUser , ame_ class="user__naffle"
489                 <w2:span style=" id=- label=.. class="user_sla"x/w2:span>
490
491             </xf:group>
492         </xf:group>
493         <xf:group tagname="li" style=" id="">
494             <w2:span style="" label , INSA08" id="x/w2:span>
495         </xf:group>
496         <xf:group tagname=Mli" style=" id="">
497             <w2:span style=" id="" lat=el'..로그인 IP : "></w2:span>
498         </xf:group>
499         <xf:group tagname="li" style=" id=-.w">
500             <xf: image src=*/images/main/user_setting.png' alt=" _ style=.H id=
501             <w2:anchor outerOiv=Mfalse" style=MM id=M" class=Huser_setting_tx*
502                 <xf: label ><![CDATA [정보변경] ] ></xf: label>
503             </w2:anchor>
504             <w2:anchor outerDiv=-'false" style=*** id=-.anchori" class=Mbtn_logii
505                 ev:onclick'scwin.btnLogout onclick" >
506                 <xf:label><![CDATA [로그아웃] ] ></xf:la
507             </w2:anchor>
508
509         </xf:group>
510     </xf:group>
511 </xf:group>
512 </xf:group>
513 </xf:group>
514 <xf:group style=**w id=MH class="user_nuni">
515     <xf:group tagname=Mul" style="" id="">
516         <xf:group tagname="li" style="" id="">
517             <w2:span style="", label=군 전 화" id=""></w2:span>
518             <w2:span style=" id=" _ label=M:" class=Rdotted_numH"></w2:span>
519             <w2:span style=" id=**spaOffmTelno* label="" class="num_txt"x/w2:spai
520         </xf:group>
521         <xf:group tagname="li" style=" id="">
522             <w2:span style=" id=" _ label=..일반전화"></w2:span>
523             <w2:span style=" id=1", label@:" class=Mdotted__nunT"></w2:span>
524             <w2:span style=" id=spaOHTelnoI, label="** class="num_txt"></w2:sp.
525         </xf:group>
526         <xf:group tagname="li" style="" id="**">
527             <w2:span style=" id="M label="휴대전화"></w2:span>
528             <w2:span style=" id="" label="." class="dotted_num"></w2:span>
529             <w2:span style=" id=^spaMbtlnum" label=" class=Mnum_txt"x/w2:span>
530         </xf:group>
531         <xf:group tagname="li" style=" id=" _">
532             <w2:span style=" id="** label="전자우편 - class="x/w2:span>
533             <w2:span style=" id=" _ label=":" class="dotted_num"></w2:span>
534             <w2:span style=" id="spaEmailAdres' label="H"></w2: span>
535         </xf:group>
536     </xf:group>
537 </xf:group>
538 </xf:group>
539 </xf:group>
540 <xf:group if style=*** class="user_tip">
541     <xf:group id=" _ tagname="ul">
542         <xf:group tagname="li" style=" id="">
543             <xf:group id=MM>
544                 <w2:span style=" id=" _ label=..잔여연가일수"></w2:span>

```

```

545         </xf:group>
546     <xf:group id="-">
547         <w2:span style="id=" idbel«"20" class="user info day"x/w2:span>
548         <w2:span style=" id="" label=" , , 일" class=M-></w2:span>
549     </xf:group>
550 </xf:group>
551 <xf:group id="" style="" tagname=MjH>
552     <xf:group id="" >
553         <w2:span style="" id="" label="저속연가-></w2:span>
554     </xf:group>
555     <xf:group id="" >
556         <w2:span style="" id="" label="IS" class="user__info_dayM"></w2:span>
557         <w2:span style="" id="" label="일" class="">x/w2:span>
558     </xf:group>
559 </xf:group>
560 </xf:group>
561 </xf:group>
562 </xf:group>
563
564 <!-- Left Menu -->
565 <div id="left_menuM class=Mw2group left_area_main">
566     <div id="left_n»enu_div' class=Mw2group left_insaM">
567         <ul id="MIO" class@"left^ldep"></ul>
568     </div>
569 </div>
570
571
572 <xf:group style="display: none;" id="left_approvalM class="left.paymentH">
573     <xf:group class="payment_box" id="" style="">
574         <xf:group class="payment titR id="" style="" tagname="h3">
575             <w2:span label="결제[&1" style="" id="" > </w2:span>
576         </xf:group>
577         <xf:group class="payment의txt" id=HM style="">
578             <xf:group id="H tagname="ul">
579
580                 <xf:group id="" tagname="liM style="" taMIndex="">
581                     <w2:span id="" label="상진" style="">x/w2:span>
582                     <w2:span style="" id="" label="02" class="payment_num"></w2:span>
583                     <w2:span id="" label="권" style=""></w2:span>
584                 </xf:group>
585                 <xf:group id=HM style="" tdbIndex="" tagname="liM">
586                     <w2:span id="" label="대기" style=""></w2:span>
587                     <w2:span id="" label="14" style="" class="payment_nufn"></w2:span>
588                     <w2:span id="" label="권" style=""></w2:span>
589                 </xf:group>
590             </xf:group>
591
592     </xf:group>
593 </xf:group>
594 <xf:group class="payment_more" id="" style="" >
595     <w2:anchor outerDlv«"falseM style="" id="" class=M">
596         <xf:label>< I [CDATA[醜ore]] x/xf: label>
597     </w2:anchor>
598 </xf:group>
599
600
601
602 </xf:group>
603 <xf:group class="left_payment_areaH id="" style="display: none;">
604     <xf:group class="list_Info" id="HgroupIM style="">
605         <xf:group class="list_info_box" id=MH style="width:auto;">
606             <xf:group id="" style="" tabIndex="" tagname="ul">
607                 <xf:group id="" style="" tagname="li** text="" >
608                     <w2:span id="" label="휴가처리 대기" style=""></w2:span>
609                 <xf:group class="num_box" id="" tagname="">
610                     <w2:span class="num" dataType="" id=MH label="2" style=""></w2:span>
611                     <w2:span class="MtxtH id="" label="권" style="">x/w2:span>
612                 </xf:group>
613             </xf:group>
614         </xf:group>
615     <xf:group id="" style="" tagname="" text="">

```

```

613      <w2:span id="" label="·궤장처리 대기" style=""></w2:span>
614      <xf:group class="num_box" id="" tagname="M">
615        <w2:span class="num" data-type="MM" id="" label="M" style=""></w2:span>
616        <w2:span class="txt" id="" label="·궤" style="" , _></w2:span>
617      </xf:group>
618    </xf:group>
619    <xf:group id="" style="" tagname="li_text">
620      <w2:span id="" label="■증명서 신청" style="H"x/w2:span>
621      <xf:group class="nu_Jx)x" id="" tagname="e="M">
622        <w2:span class="num" data-type="M" id="" label="T" style=""></w2:span>
623        <w2:span class="txt" id="" label="·궤" style="H"x/w2:span>
624      </xf:group>
625    </xf:group>
626    <xf:group id="" style="" tagname="liM text="M">
627      <w2:span id="" label=" , ■인사상당" style=""></w2:span>
628      <xf:group class="num_box" id="" tagname="e="M">
629        <w2:span class="num" data-type="" id="" label="3H" style="M"x/w2:span>
630        <w2:span class="txt" id="" label="·궤" style="M"></w2:span>
631      </xf:group>
632    </xf:group>
633    <xf:group id="" style="" tagname="MjM text="H">
634      <w2:span id="" label="·궤인사상당 변경 건수" style="M"x/w2:span>
635      <xf:group class="num_box" id="" tagname="">
636        <w2:span class="nuw" data-type="H" id="" label="H2M" style="M..x/w2:span>
637        <w2:span class="txt" id="" label="·궤" style="MH"x/w2:span>
638      </xf:group>
639    </xf:group>
640    <xf:group id="" style="" tagname="liM text=" "">
641      <w2:span id="" label="·궤영령오류 건수" style="W"x/w2:span>
642      <xf:group class="nuni-box" id="" tagname="">
643        <w2:span class="nunT" data-type="" id="" label="M5" style="M5" style=""></w2:span>
644        <w2:span class="txt" id="" label="·궤" style="H"></w2:span>
645      </xf:group>
646    </xf:group>
647    <xf:group id="" style="" tagname="li_text">
648      <w2:span id="" label="·궤궤장처리 대기" style="H"x/w2:span>
649      <xf:group class="num_box" id="" tagname="M">
650        <w2:span class="num" data-type="WM" id="" label="I" style=""></w2:span>
651        <w2:span class="txt" id="" label="·궤" style=""></w2:span>
652      </xf:group>
653    </xf:group>

```

```

681         <w2:span class="Mtxt" id="" label="건" style=""></w2:span>
682     </xf:group>
683 </xf:group>
684 <xf:group id="" style="" tagname="li" text="">
685     <w2:span id="" label="개인자력 변경 건수" style=""x/w2:span>
686     <xf:group class="num_box" id="" tagname="">
687         <w2:span class="nu" data-type="" id="" label="2" style=""x/w2:span>
688         <w2:span class="txt" id="" label="건" style=""></w2:span>
689     </xf:group>
690 </xf:group>
691 <xf:group id="" style="" tagname="li" text="">
692     <w2:span id="" label="오류 건수" style=""x/w2:span>
693     <xf:group class="num_box" id="" tagname="">
694         <w2:span class="" data-type="" id="" label="s" style=""x/w2:span>
695         <w2:span class="txt" id="" label="건" style=""x/w2:span>
696     </xf:group>
697 </xf:group>
698 <xf:group id="" style="" tagname="li" text="">
699     <w2:span id="" label="장애처리 대기" style=""x/w2:span>
700     <xf:group class="num_box" id="" tagname="">
701         <w2:span class="" data-type="" id="" label="" style=""x/w2:span>
702         <w2:span class="txt" id="" label="건" style=""></w2:span>
703     </xf:group>
704 </xf:group>
705 </xf:group>
706 </xf:group>
707 </xf:group>
708 </xf:group>
709
710
711 <xf:group class="left_error" id="" style="" tagname="">
712     <w2:anchor class="error_atag" id="" outerDiv="" style="">
713         <xf:label></xf:label>
714     </w2:anchor>
715     <xf:group class="banner_error" id="" style="" tagname="">
716         <xf:image id="" src="/images/main/banner^error.png" style="" title="장OH/오류신청">
717         <xf:group class="banner^error^txt" id="">
718             <w2:span id="" label="장애 신청 할 수 있습니다." style=""></w2:span>
719         </xf:group>
720         <xf:group class="banner_error_tit" id="" style="" tagname="h3">
721             <w2:span id="" label="장애신청" style=""></w2:span>
722         </xf:group>
723     </xf:group>
724 </xf:group>
725 </xf:group>
726
727 </body>
728 </html>
729

```

